



Fans-tech


# SF 系列 玻璃钢风机

SF Series Fiberglass Cone Fan





广东泛仕达农牧风机有限公司  
Guangdong Fans-tech Agro Co., Ltd

叶轮旋转方向  
Rotation direction




气流方向  
Airflow direction



外形尺寸 Outline Dimension

规格 Diameter of blade (inch)	A01 (mm)	A02 (mm)	A03 (mm)	A04 (mm)	A05 (mm)	A06 (mm)	洞口尺寸 Dimension of opening (mm)
18"	455	368	892	630	715.5	715.5	615×615
24"	625	373	987	850	903	903	805×805
36"	915	463.5	1182	1270	1269	1269	1150×1150
50"	1270	404	1313	1724	1555	1555	1440×1440



性能参数 Performance data

型号 Model No.	规格 Diameter of blade (inch)	叶片数量 Qty of blades (pcs)	电压 Voltage (V)	频率 Frequency (Hz)	功率 power (kw)	不同压力点的风量 (m³/h) Air flow at different pressure			能效比 @ 0pa Efficiency ratio (CMH/W)
						0pa	-25pa	-50pa	
SF455B2-070-00	18"	5	3~380	50	0.25	6960	6390	5710	23.4
SF625B3-077-00	24"	5	3~380	50	0.37	12530	11440	9920	24.4
SF915B3-077-00	36"	3	3~380	50	0.55	21400	19200	16700	27.3
SF1270B5-106-00	50"	3	3~380	50	1.1	45000	40000	34000	29.3

## 大风量 Large Air Flow

高强度压铸铝扇叶，采用流体仿真最优化设计叶型，确保低噪音、高效率和大风量。

Being optimized by fluid simulation design, high-strength cast aluminum propeller provides large air flow, low noise, and high efficiency.

## 高效率 High Efficiency

高效节能电机，IP55防水防尘保护，F级绝缘，能承受严苛的养殖场所腐蚀性环境考验。

Energy-efficient motor, IP55 water-proof and dust-proof, F class insulation, which enables to withstand the harsh environment of the breeding sites.

## 免维护 Maintenance Free

直联驱动，结构简单，免除定期更换皮带的麻烦，减少更换皮带成本。

Direct driving and simple structure eliminates the trouble of regular belt replacement and reduces the cost.

## 高防腐 High Corrosion Resistance

钢质喷粉防护网罩，PVC百叶窗，SUS304不锈钢材质紧固件与配附件，为风机提供卓越的耐腐蚀能力。

Coated steel protective mesh, PVC shutters, combined with SUS304 stainless steel fasteners and accessories provide excellent corrosion resistance.

## 高强度 High Strength

玻璃纤维壳体和喇叭口，抗紫外线、耐腐蚀、坚固耐用。

Fiberglass housing and outlet cone resistant to UV and corrosion along with durability.

## 个性化 Customer-oriented Option

18寸与24寸还可根据需求增配地沟转角，更适合猪舍的氨气排放，满足客户需求的多样性。

Diversion hood is optional for 18" and 24" fan, more suitable for the ammonia emission of swine houses.



# 公司简介 About us

广东泛仕达农牧风机有限公司是一家集研发、制造、销售于一体，专注于集约化畜禽养殖通风设备的现代化企业。我们致力于为全球客户提供个性化的通风解决方案及各类技术领先、制作精良的农牧通风产品。

Guangdong Fans-tech Agro Co., Ltd is a modern enterprise integrating R&D, engineering, manufacturing and sales with an acute focus on intensive poultry and livestock breeding ventilation equipment. We are committed to providing global customers with personalized ventilation solutions and various ventilation products with leading technology and excellent quality for agricultural and animal husbandry industry.

## 经营理念 Our vision

泛仕达以“诚信、创新、共赢”为经营理念，争创世界一流品牌，致力于成为农牧行业最可靠，最具竞争力的风机提供商。

With the principle of "integrity, innovation, win-win", Fans-tech Agro strives for the world-class brand, and is committed to becoming the most reliable and competitive fan supplier in the agricultural and animal husbandry industry.



广东泛仕达农牧风机有限公司  
Guangdong Fans-tech Agro Co., Ltd



| [www.fanstech-agro.com](http://www.fanstech-agro.com)

| 广东省云浮市新兴县新城镇新成工业园二环路西段32号  
No.32, West Erhuan Road, Xincheng Industrial Park, Xinxing, Guangdong, China

国内销售部 Domestic Sales Department

| 0766-2929903

| [tech097@fans-tech.com](mailto:tech097@fans-tech.com)

海外销售部 Overseas Sales Department

| +86-766-2500860

| [tech097@fans-tech.com](mailto:tech097@fans-tech.com) / [viola@fans-tech.com](mailto:viola@fans-tech.com)